



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/614,084	07/08/2003	Schat Sutardja	MP0005REC2	8314
26703 7590 03/09/2009 HARNES, DICKEY & PIERCE P.L.C. 5445 CORPORATE DRIVE SUITE 200 TROY, MI 48098				
EXAMINER WELLS, KENNETH B				
ART UNIT		PAPER NUMBER		
2816				
MAIL DATE		DELIVERY MODE		
03/09/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10614084	7/8/2003	SUTARDJA ET AL.	MP0005REC2

HARNESS, DICKEY & PIERCE P.L.C.
5445 CORPORATE DRIVE
SUITE 200
TROY, MI 48098

EXAMINER

Kenneth B. Wells

ART UNIT	PAPER
----------	-------

2816

20090304

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The amendment filed on 2/23/09 is non-responsive because it does not address paragraph one of the office action mailed on 8/21/08. No cross-reference has been inserted into the specification and no evidence of any certificates or correction in the other resissuance cases has been presented. Moreover, applicant has not presented any arguments as to why the requirements set forth by the examiner are not necessary.

Applicant is hereby given one month or thirty (30) days, whichever is longer, to properly respond to the requirements set forth in paragraph one of the 8/21/08 office action.

Any inquiry concerning this or earlier communications from the examiner should be directed to Kenneth B. Wells at (571)272-1757.

/Kenneth B. Wells/
Primary Examiner
Art Unit 2816